

PERFORMANCE DATA

Compressor Model(Code)	C-SBN263H8A (809 930 88)
Power Source	3PH 50Hz 380-415V
Suction Gas Superheat(K)	9
Sub Cooling(K)	8.3
Compressor Cooling	Natural Cooling
Refrigerant	R407C

**CAPACITY(W)**

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	5,260	6,420	7,330	9,590	11,440	12,800	14,320	15,520
40.5	4,790	5,870	6,710	8,810	10,540	11,810	13,230	14,360
45.0	4,430	5,440	6,240	8,220	9,850	11,050	12,400	13,460
50.0	4,060	5,010	5,740	7,600	9,120	10,250	11,520	12,520
54.4		4,650	5,340	7,090	8,530	9,600	10,800	11,750
60.0			4,880	6,490	7,830	8,830	9,950	10,840
65.0				6,010	7,270	8,200	9,260	10,100

POWER(W)

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	2,160	2,170	2,170	2,160	2,150	2,140	2,120	2,110
40.5	2,440	2,440	2,440	2,440	2,430	2,410	2,400	2,390
45.0	2,700	2,710	2,710	2,700	2,690	2,680	2,670	2,660
50.0	3,030	3,040	3,040	3,040	3,030	3,020	3,010	3,000
54.4		3,360	3,370	3,370	3,360	3,350	3,340	3,330
60.0			3,830	3,840	3,830	3,820	3,810	3,800
65.0				4,300	4,290	4,290	4,280	4,270

CURRENT(A)

@380V

Condensing Temperature(°C)	Evaporating Temperature(°C)							
	-15	-10	-6.7	0	4.4	7.2	10	12
35.0	4.2	4.2	4.3	4.3	4.3	4.3	4.3	4.3
40.5	4.7	4.7	4.8	4.8	4.8	4.8	4.7	4.7
45.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
50.0	5.8	5.8	5.8	5.7	5.7	5.7	5.7	5.7
54.4		6.4	6.3	6.3	6.2	6.2	6.2	6.2
60.0			7.1	7.0	6.9	6.9	6.9	6.9
65.0				7.7	7.6	7.6	7.6	7.6

NOTE:

- * The performance values are based on MID point method.
- * The performance values subject to change without notice.